


STORAGE SOLUTIONS







STORAGE SOLUTIONS

ASI Storage Solutions 2
The Products2
Traditional Collection3
Specialty Lockers
Traditional Plus Collection4
Pro Collection 4
Competitor Collection 5
Angle Frame Lockers
Welded Lockers7
Plastic Lockers
Phenolic Lockers9
Cubby Lockers10
Cabinets and Desks 11 - 13
Performance Plus Shelving14 - 15
Accessories16 - 17
Locker Selection Guide 18 - 21
48 Hour Quick Ship Sizes & Colors22
Terms and Conditions23
Contact Information24

ASI STORAGE SOLUTIONS

ASI Storage Solutions manufactures high-quality locker systems and storage products designed for use in schools, healthcare, athletic facilities, retail environments and other commercial, institutional and industrial applications.

Architects, designers, building owners, facility managers and construction professionals have come to rely on ASI Storage Solutions as their premier provider of storage systems that are appropriately priced, exceptionally durable, easy to install and even easier to use.

Our factory-trained, quality-committed representatives are prepared to give you the support you need to make it easy for you to review and select the right products for all of your projects' specifications.

ASI Storage Solutions is part of the *ASI Group*, a family of companies representing the world's leading manufacturers of specialty construction products: partitions, accessories and lockers, allowing for one-stop shopping of Division 10 products.

THE PRODUCTS

All of ASI Storage Solutions' products come standard with top-of-the-line features, which means you won't pay up-charges for the quality you want. These value-priced products are readily available for timely shipment.

In addition to our steel locker collections, which are also available as fully welded, we offer lockers and cubbies in durable phenolic and solid plastic. With the addition of metal shelving, storage cabinets and desks, ASI Storage Solutions' extensive product line means you don't have to look anywhere else for the products you need to meet your locker system and storage requirements, including ADA compliancy. Plus, as our commitment to continued improvement, we add features and introduce new products regularly.



TRADITIONAL COLLECTION

3785

The visually appealing and very durable **Traditional Collection** is our most widely distributed locker line. Offering the most value for typical locker applications, this collection is available in a full range of spacious sizes, from single- to six-tier configurations, as well as two-person, sixteen-person and wall-mounted.

Featuring 16 gauge doors, frames and bottoms and 24 gauge tops, sides, backs and shelves, all Traditional lockers come standard with features that allow for easy and quiet operation.

STANDARD FEATURES

- 2 mil powder coated in any of 15 designer colors
- Stainless steel recessed handle for safety
- 16 gauge bottom shelf for durability
- Continuous full-length staked piano hinge for security
- Rubber door silencers for quiet operation

SPECIALTY LOCKERS



See Locker Selection Guide on page 18 for details. See available designer colors in color chart on page 7. ADA-compliant lockers are available. Log on to asistorage.com for specifications.

Optional Double Pan doors are available — contact us for details.



Every one of these popular colors is available for shipment within 48 hours. See sizes on page 22 — Contact us for details. *Contact us for assembly costs.

TRADITIONAL PLUS COLLECTION



With the same standard features as the Traditional line, the Traditional Plus **Collection** is intended for more rugged applications. Available in single-, double- or triple-tier configurations, this collection features 14 gauge doors with 16 gauge full-height reinforcement channels, frame-secured 11 gauge frame hooks with protruding padlock hasps, and a maintenance-free, single-point latching system.

STANDARD FEATURES

- 2 mil powder coated in any of 15 designer colors
- Stainless steel recessed handle for safety
- 16 gauge bottom shelf for durability
- Continuous full-length staked piano hinge for security
- Single-point latch is maintenance free with a built-in anti-pry feature
- Rubber door silencers for quiet operation

See Locker Selection Guide on page 18 for details. See available designer colors in color chart on page 7. Almond and gray available for Quick Ship. See details on page 22. Log on to asistorage.com for specifications. Optional Double Pan doors are available — contact us for details.

PRO COLLECTION

The Pro Collection is specifically designed for applications that require easy access to uniforms and equipment. Select the configuration that best suits your needs by adding a lockable security box and/or a footlocker with a reinforced top that doubles as a seat. The open front and perforated sides allow for full ventilation, with a large dedicated storage area.

STANDARD FEATURES

- 2 mil powder coated in any of 15 designer colors
- Stainless steel recessed handle for the security box
- 16 gauge bottom shelf for durability
- Rubber door silencers on security box and footlocker for quiet operation

Shown with all options

See Locker Selection Guide on page 18 for details. See available designer colors in color chart on page 7. Log on to asistorage.com for specifications.



COMPETITOR COLLECTION

The **Competitor Collection** offers the ultimate in ventilation and visibility combined with strength and visual appeal. This collection, available in one- through six-tier configurations, features 14 gauge doors and 18 gauge backs; all other components are 16 gauge.

STANDARD FEATURES

- 2 mil powder coated in any of 15 designer colors
- Stainless steel recessed handle for safety
- 16 gauge bottom shelf for durability
- Continuous full-length staked piano hinge for security
- Single-point latch is maintenance free with a built-in anti-pry feature
- Rubber door silencers for quiet operation

See Locker Selection Guide on page 18 for details. See available designer colors in color chart on page 7. Log on to asistorage.com for specifications.

COMPETITOR COLLECTION 48 HOUR QUICK SHIP

- 6 Popular Colors
- No Added Cost
- Knock Down Ship in 48 Hours
- Assembled Ship in 5 Working Days* *Contact us for assembly costs.



page 22 — Contact us for details.



ANGLE FRAME LOCKERS

ALL-WELDED CONSTRUCTION



CREMONE LATCHING SYSTEM



The available cremone latching system provides extra security by using the principles of a fulcrum to transfer the rotary motion of a handle-turn into the vertical actuation of two positive-action locking bolts that engage with the frame at the top and bottom of the door, and a center latch engaging at the side. Angle Frame Lockers' specially constructed angle frame provides the robust structural integrity needed to protect belongings in rough environments, including athletic and fitness facilities, school locker rooms, and similar applications. The diamond stamped ventilation holes assure the free flow of air, to reduce odor build-up, and full visibility of locker contents.

STANDARD FEATURES

- One-piece frame design ensures rigidity, which also simplifies installation
- Available with single-point, multi-point or cremone latching
- Single-, double-, and six-tier configurations
- Durable 14 gauge doors
- 2 mil powder coated in any of 15 designer colors
- 16 gauge bottom shelf for durability
- Continuous full-length staked piano hinge for security

See Locker Selection Guide on page 20 for details. See available designer colors in color chart on page 7. Log on to asistorage.com for specifications.



Angle frame consists of welded formed framing



ALL-WELDED LOCKERS



15 DESIGNER COLORS

All our metal lockers are available with the added strength and integrity of all-welded construction. These competitively priced lockers are shipped within competitive lead times.

STANDARD FEATURES

- Available in all metal collections
- 2 mil powder coated in any of 15 designer colors
- 16 gauge bottom shelf for durability
- Rubber door silencers for quiet operation
- Continuous full-length staked piano hinge for security.

See Locker Selection Guide on page 18 for details. See available designer colors in color chart below. Log on to asistorage.com for specifications.



*48 Hour Quick Ship colors for Traditional and Competitor Collections ONLY

Doors and exposed body parts on Traditional and Traditional Plus Lockers shall be selected from ASI Storage Solutions' standard designer color range. Nonexposed body parts, e.g., shelves, shall be finished in Almond #03, with exception of Gray #25 that shall have Gray non-exposed body parts. Competitor Lockers shall have the same selected color throughout. Actual colors may vary slightly from those shown due to limitations in the printing process.

Additional colors are available upon request.

7

PLASTIC LOCKERS



Plastic Lockers are ideal for indoor high-humidity applications, as these virtually maintenancefree lockers will never rust, rot, corrode or fade. Their half-inchthick plastic construction features solid color throughout, so even scratches are hard to see. These lockers are available in multiple configurations and are backed by a fifteen-year warranty.

-STANDARD FEATURES

- All components constructed of ½" thick solid plastic (HDPE) for strength and durability
- Full length, powder coated, continuous hinge for smooth operation
- Rabbeted joinery with stainless steel locking pins for long term integrity
- Backed by a 15-year warranty
- Self-latching door for safety and security
- Full length latch engagement improves tamper resistance

See Locker Selection Guide on page 20 for details. See available designer colors in color chart to the right. ADA-compliant lockers are available. Log on to asistorage.com for specifications.

9 DESIGNER COLORS

Will never fade or require painting



* Available in post-consumer recycled material Actual colors may vary slightly from those shown due to limitations in the printing process.



8

PHENOLIC LOCKERS

Phenolic Lockers are the material of choice when a high degree of design flexibility is desired or where durability and strength are required. These lockers are fabricated to stand the test of time. The dense components, combined with stainless steel brackets and fasteners, stand up to the most extreme conditions of moisture and humidity. Phenolic is impact, water, and corrosion resistant, and does not support bacteria.

The superior construction and materials used in the locker system make it adaptable to all types of facilities, including health clubs, country clubs, and executive washrooms. Available in the following styles: single-, double-, triple-, five-, six-tier doors and Z-Style Suit Locker. Phenolic lockers can easily be customized. Now available in color-thru phenolic colors upon request.

STANDARD FEATURES

- 1/2" doors, tops and bottoms
- ¾" sides and backs
- 16 gauge stainless steel piano-type hinge
- Folkstone Celesta #3300 body (including the interior)
- Recessed handle and padlock hasp
- 8 designer black core colors
- Built-in locks available


See Locker Selection Guide on page 20 for details. See available designer black core colors in color chart below. Log on to asistorage.com for specifications.

8 DESIGNER BLACK CORE COLORS



Actual colors may vary slightly from those shown due to limitations in the printing process.

Additional black core colors are available upon request.



CUBBIES

Cubbies are the ideal solution when non-locked, open storage is appropriate, such as in preschools, day care centers, churches, office supply/mail rooms, laundry rooms, and retail outlets. Kids love them because they are the right size for little hands and the right height to hang their backpacks and coats on their own.

Our Cubbies are available in two styles: Lockers and Shelf. Both are available in high-density polyethylene (HDPE) — solid plastic — that makes them durable, resistant to scratches and dents, moisture-resistant, rustproof and never in need of painting. The Locker style is also offered in phenolic, when a higher degree of design flexibility is desired.

STANDARD FEATURES

- 1/2" HDPE or phenolic construction
- Multiple designer colors
- Water resistant
- Easy to clean
- No painting ever

See available designer colors for solid plastic cubbies on page 8. See available designer colors for phenolic cubbies on page 9. Log on to asistorage.com for specifications.

CUBBY SHELF CONFIGURATIONS

Each cubby opening is 12" wide with heights of 8", 12", or 16" per cubby. The full unit can be configured at up to four openings across and, depending on the height, up to six openings tall.

CONFIGURATIONS

SIZES (inches)	SINGLE-TIER		DOUBLE-TIER		TRIPLE-TIER	FIVE-TIER	SIX-TIER
W x D	H ⁄ 60″	72″	60″	72″	72″	60″	72″
12″ x 12″	x	х	x	х	х	х	х
12″ x 15″	x	х	x	х	x	х	х
12″ x 18″	x	х	x	х	x	х	х
15″ x 15″	x	х	x	х	x	х	х
15″ x 18″	x	х	x	х	х	х	х
18″ x 18″	x	х	x	х	х	х	x











Cubby Locker (Phenolic)



Cubby Shelf (Plastic only)

CABINETS AND DESKS

Economical Storage Cabinets

STANDARD FEATURES

- Quick, easy shelf adjustment on 2" centers
- Hinged doors open full 180 degrees
- Full height hat channel reinforces door alignment
- Flush fronts, backs and sides permit side-byside installations, and/or exposed backs
- Polished chrome plated handles with built-in grooved key lock
- Three-point locking system offers maximum security
- Lock and keys included
- Tough powder coat finish
- Shipped knocked down; assembly available
- Available colors: Almond, Gray

Item Number	Overall Dimensions W x D x H	Number of Shelves		
11-10361842SC	36" x 18" x 42"	2		
11-10361878SC	36" x 18" x 78"	4		
11-10362478SC	36" x 24" x 78"	4		
11-10482478SC	48" × 24" × 78"	4		

Cabinet Shop Desk





- Four compartment organizer, slanted writing surface
- Locking double doors, adjustable full size shelf
- Cylinder locking drawer on steel ball bearing slides
- Hinged doors open full 180 degrees
- Drawer with cylinder lock 24"W x 28"D x 3½" H
- Durable powder coat finish
- Shipped knocked down; assembly available
- Lock & key included
- Available colors: Almond, Gray

ltem Number	Overall Dimensions W x D x H	Number of Shelves		
11-10343053CSD	34½" x 30" x 53"	1		

CABINETS AND DESKS

Foreman's Desk



- STANDARD FEATURES

- Four compartment organizer, slanted writing surface
- Adjustable legs: 36" to 421/2"
- Cylinder locking drawer on steel ball bearing slides
- Supports most large screen computer monitors
- 15" D lower shelf included for additional supply storage
- Powder coat finish
- Lock and keys included
- Shipped knocked down; assembly available
- Available colors: Almond, Gray

Item Number	Overall Dimensions W x D x H				
11-10343053FSD	34½″ x 30″x 53″				

Visible Storage Cabinets

STANDARD FEATURES

- Plexiglass door inserts bring the inside out
- Hinged doors open full 180 degrees
- Great for storing medical, office, or shipping supplies
- Die-cast handle includes 2 keys
- Three-point locking system offers maximum security
- Four shelves adjustable on 2" centers, 180 lbs. shelf capacity
- Contemporary styling with flush fronts, sides and backs, and rounded front corners
- Shipped knocked down; assembly available
- Available colors: Almond, Gray





Item Number	Overall Dimensions W x D x H	Number of Shelves		
11-10361878SCV	36" x 18" x 78"	4		



CABINETS AND DESKS

Wall-Hung Foreman's Desk

STANDARD FEATURES

- Four compartment organizer, slanted 34½" x 30" writing surface
- Mounts to the wall
- Cylinder locking drawer on steel ball bearing slides
- Mounting brackets included
- Powder coat finish
- Lock and keys included
- Shipped knocked down; assembly available
- Available colors: Almond, Gray



Item Number	Overall Dimensions W x D x H
11-10242830WFSD	34½" x 30" x 33½", plus braces



Combination Cabinet

STANDARD FEATURES

- Combines office supplies/package storage and wardrobe facility functions
- Hinged doors open full 180 degrees
- One full-width shelf at top for packages and hats
- Balance of cabinet divided for supplies and full-length clothing storage
- Four half shelves adjustable every 2"
- Shipped knocked down; assembly available
- Available colors: Almond, Gray

Item Number	Overall Dimensions W x D x H	Number of Shelves	
11-10362478SCC	36" x 24" x 78"	4 half / 1 full	

PERFORMANCE PLUS SHELVING



With Performance Plus Shelving,

you can easily add storage space where required and as much as needed. This light-duty industrial shelving rounds out our offering for all your storage needs.

PERFORMANCE PLUS CLIPS



Heavy gauge floor anchor clips are also available for securing the unit to the floor.

STANDARD FEATURES

- Heavy-duty or standard shelves that are manufactured from 22 gauge powder coated steel and designed with support flanges to accommodate normal loads without the need for additional reinforcement.
- Expansion possibilities units can be attached side-by-side.
- Box posts for the front of the unit, allowing full access to the shelf.
- Performance Plus Clips that secure the shelves to the posts, making the shelving even more stable. Installing and repositioning them is a simple press fit that does not require tools.
- One inch on vertical centers shelf adjustment, providing ample configuration capabilities.
- Availability in either open or closed units.
- ASI Storage Solutions 2 mil powder coat Gray. Other colors are optional.
- Five shelves standard. Additional shelves available at additional costs





PERFORMANCE PLUS SHELVING





OPENTYPE SHELVING

The most basic and economical shelving design for general purpose use is the open type shelving. The open backs and sides are stabilized by sway braces. Units include 2 box posts, 2 angle posts, 2 sets of side sway braces, 1 set of back sway braces, 5 shelves and hardware. 6-, 7- and 8-shelf configurations are also available upon request.












8 Shelf

CLOSEDTYPE SHELVING

Closed type shelving units improve stability and provide protection to stored items because they are covered on three sides with steel panels. Units contain 2 box posts, 2 angle posts, 2 side panels, 1 back panel, 5 shelves, and hardware. 6-, 7- and 8-shelf configurations are also available upon request.











STANDARD SIZES AND MODEL NUMBERS (for 5-shelf unit)

DIMENSIONS (inches) STANDARD						HEAVY DUTY			
W	D	Н	OpenType	Closed Type	Capacity (Ibs.)	OpenType	ClosedType	Capacity (lbs.)	
36	12	87	10361287BC-25	10361287CC-25	400	10361287BH-25	10361287CH-25	600	
36	18	87	10361887BC-25	10361887CC-25	400	10361887BH-25	10361887CH-25	600	
36	24	87	10362487BC-25	10362487CC-25	400	10362487BH-25	10362487CH-25	600	
48	24	87	10482487BC-25	10482487CC-25	250	10482487BH-25	10482487CH-25	400	

ACCESSORIES



CONTINUOUS SLOPE HOOD

18 gauge continuous Slope Hoods add a finishing touch to lockers installed along walls and on island groups. The slope rise is equivalent to one-third the depth of the locker. Custom applications include sloping hood splices, valley corners and hip ends... all with concealed fasteners.

INDIVIDUAL SLOPE TOP/ROW END

Individual Slope Tops are available to help eliminate clutter and add a clean, finished look to the lockers.

16 gauge exposed row ends add to finished look.






ZEE BASE

14 gauge Zee Bases provide an overhang with toe space, raising lockers 4" off the floor. This economical and practical accessory also enhances appearance.

FRONT BASE/CLOSED END BASE

These 18 gauge bases add a finished look, by fitting flush, between locker legs; ie. Front Bases fit between front legs, and End Bases between front and rear legs of lockers at the end of a row.





ACCESSORIES

Free standing



FILLERS - VERTICAL

Vertical Fillers enhance the appearance of an installation by covering any objects between lockers, and/or filling the gap between lockers and the wall. Fillers are available in two widths, designed for use together with Wall Angle Slip Joints for a tight fit and smooth finish. Floor anchored Benches add welcome convenience and comfort to every locker room. Bench tops are very durable, made of 1¼" lacquered hardwood, 1½" solid plastic or ¾" black core phenolic. Bench tops are 9½" deep — 12" deep for ADA-compliant benches. Other ADA sizes are also available upon request. Pedestals are available in two styles as pictured above:

- Floor anchored, 10 gauge powder coated steel
- Free standing, 16 gauge stainless steel
- Also available with powder coated steel wall mount brackets and back rest brackets

Solid plastic tops come in nine designer colors (see page 8) and black core phenolic tops are available in eight designer colors (see page 9). These durable finishes will never fade or require repainting. Bench backs are also available.

LOCKS

BENCHTOPS & PEDESTALS

Built-In Combination Locks

- Five combination changes
- Master keys
- Stainless steel escutcheon plate
- Dead bolts or spring bolts
- LH and RH reversible

Built-In Key Locks

- Flat-key or grooved-key models
- Available in varied key
- combinations or keyed alike
- Dead bolts
- LH and RH reversible

Lockers are designed to accept built-in key, combination, padlocks, electronic and coin operated locks.

ADA-compliant locks are also available.



RECESSTRIM

18 gauge Recess Trim, with a 3" face and a 3/8" top return, provides a neat, framed appearance for recessed lockers. Integral corner caps and hairline joints are reinforced with welded-on splice fingers for this application.

	SIZES (inches)			SINGL	E-TIER			DOUBL	E-TIER
	W x D	H 42″	54″	60″	66″	72″	78″	60″	66″
AL	12″ x 12″	х 🕹	х 🕹		x 🕹		x 🕹		x 🕹
	12″ x 15″	x 🕹	x 🕹		x 🕹		x 🛃		x 🛃
NOIL	12″ x 18″	x 🕹	x 🕹		x 🕹		x 🔥		x 🕹
TRADITIONAL	15″ x 15″				x 🛃		x 🛃		x 🛃
TR	15″ x 18″				x 🕹		x 🛃		x 🛃
	18″ x 18″				х 🕹		x 🔄		x 🕹
S	12″ x 12″				x		х		x
TRADITIONAL PLUS	12″ x 15″				x		х		x
NAL	12″ x 18″				x		x		x
101	15″ x 15″				x		x		x
3ADI	15″ x 18″				x		x		x
	18″ x 18″				x		x		x
	12″ x 12″				x		x		x
	12″ x 15″				x		x		x
	12″ x 18″				x		x		x
	15″ x 15″				x		x		x
COMPETITOR	15″ x 18″				x		x		x
PETI	18″ x 18″				x		х		x
MOS	18″ x 21″				x		x		x
0	18″ x 24″				x		x		x
	24″ x 18″				x		x		x
	24″ x 21″				x		x		x
	24″ x 24″				x		x		x
	24″ x 18″					х			
	24″ x 21″					х			
0	24" x 24"					х			
PRO	33″ x 18″					х			
	33″ x 21″					х			
	33″ x 24″					x			

🔄 = ADA-Compliant



DOUBL	E-TIER	TF	RIPLE-TIE	R	FOUR	-TIER	FIVE-TIER	SIX-	TIER	TWO PERSON
72″	78″	66″	72″	78″	66″	78″	66″	72″	78″	78″
	x 🔄	х		x	x	x	x		x	
	x 🛃	х		х	x	x	x		х	
	x 🛃	х		х	x	х	x		х	
	x 🛃	х		x			x		x	x 🕹
	x 🛃	x		х			x		х	x 🕹
	x 🕹	х		х					x	x 🕹
	x	х		х						
	x	x		x						
	x	х		х						
	x	х		х						
	x	х		х						
	x									
	x	х		x	x	x	x		x	
	x	х		х	x	x	x		х	
	x	x		x	x	x	x		x	
	x	x		x	x	x	x		x	
	x	x		x	x	x	x		x	

	SIZES (inches)		SINGLE-TIER						DOUBLE-TIER		
	W x D	H 42″	54″	60″	66″	72″	78″	60″	66″		
	12″ x 12″			x		x		x			
	12″ x 15″			x		х		x			
	12″ x 18″			x		x		x			
	12″ x 21″										
AME	12″ x 24″										
ANGLE FRAME	15″ x 12″					x		x			
ANG	15″ x 15″			x		х		x			
	15″ x 18″			x		x		x			
	15″ x 21″										
	15″ x 24″										
	18″ x 18″			x		x		x			
	12″ x 12″			x 🔄		х 🔄		x 🔄			
	12″ x 15″			x 🔄		x 🔄		x 🔄			
PLASTIC	12″ x 18″			x 🔄		x 🔄		x 🔄			
PLA	15″ x 15″			x 🖒		x 🕹		x 🔄			
	15″ x 18″			x 🕭		х 🕹		x 🔄			
	18″ x 18″			х 🕹		х 🕹		х 🕹			
	12″ x 12″			x 🔄		x 🔄		x 🔄			
	12″ x 15″			x 🕹		x 🕹		x 🕹			
PHENOLIC	12″ x 18″			x 🕹		x 🕹		х 🕹			
HEN	15″ x 15″			x 🔄		x 🕹		x 🔄			
Ľ	15″ x 18″			x 🕓		x 🕹		x 🕹			
	18″ x 18″			x 🔄		х 🕹		х 🔄			

ی = ADA-Compliant



DOUBLE-TIER		TF	RIPLE-TIE	R	FOUR-TIER		FIVE-TIER	FIVE-TIER SIX-TIER		TWO PERSON Z-LOCKER	
72″	78″	66″	72″	78″	66″	78″	60″	72″	78″	60″	72″
x								х			
x								х			
x								x			
								х			
								x			
x								х			
x								х			
x								x			
								x			
								х			
x											
x 🔄			x				x	x		x	x
x 🔄			x				x	x		x	x
x 🔄			x				x	x		x	x
x 🔄			x				x	x		x	x
x 🕹			x				x	x		x	x
x 🔄			x				x	x		x	x
x 🔄			х				x	х		x	x
x 🕹			x				x	x		x	x
x 🕹			x				x	x		x	x
x 🕹			х				x	х		x	x
x 🕹			х				x	х		x	x
x 🕹			x				x	x		x	x

QUICK SHIP "IN STOCK" SIZES AND COLORS

index index index <		Traditional							Traditional Plus				petitor		
Interna N<					Frost		Green					Frost	Green		Black 11
bolished x<	Single Tier														
12-19-00××<	12x12x66	x	x	x	x	×	x	x	x	x	x	x	x	x	x
Introllegev.<	12x15x66	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Instrikev. <th< td=""><td>12x18x66</td><td>x</td><td>x</td><td>x</td><td>x</td><td>x</td><td>x</td><td>x</td><td>x</td><td>x</td><td>x</td><td>x</td><td>x</td><td>x</td><td>x</td></th<>	12x18x66	x	x	x	x	x	x	x	x	x	x	x	x	x	x
IntradeNN </td <td>15x15x66</td> <td>х</td> <td>x</td> <td>x</td> <td>x</td> <td>x</td> <td>x</td> <td>x</td> <td>х</td> <td>x</td> <td>х</td> <td>x</td> <td>x</td> <td>x</td> <td>x</td>	15x15x66	х	x	x	x	x	x	x	х	x	х	x	x	x	x
12.12.29.8NNN	15x18x66	x	x	x	x	x	×	x	x	x	x	x	x	x	x
12.19.579xx	18x18x66	x	x	x	x	x	x			x	x	x	x	x	x
12.19.579xx	12x12x78	x	x	x	x	x	x	x	x	x	x	x	x	x	x
12418-79 X 1214266 X	12x15x78	x	x	x	x	x	x	x	x	x	x	x	x	x	x
15h X<															
IbshBor/BIX <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>															
18-18-78 x x x x x x x x x x x x x x Daulate x x x x x x x x x x x x x x Disible x x x x x x x x x x x x x x x x Disible x						-									
Double Time x <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>^</td><td>~</td><td></td><td></td><td></td><td></td><td></td><td></td></th<>								^	~						
1212h66 x <		~	~	~	~	~	^				~	^	^	^	~
1211bb6 x <t< td=""><td></td><td>×</td><td>X</td><td>×</td><td>×</td><td>×</td><td>×</td><td>×</td><td>×</td><td>×</td><td>×</td><td>×</td><td>×</td><td>×</td><td>X</td></t<>		×	X	×	×	×	×	×	×	×	×	×	×	×	X
12x12x66xx<															
12121278xx<												l	l		
1215b78xx </td <td></td>															
12x18x8xx <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						-									
15x15x78 x 12x15x66 x <td></td>															
Ibs/18/78 x 12x15x78 x <td></td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td>											X	X	X	X	
18x18x78xx </td <td></td>															
STier Image: State of the state of th						-		X	x						×
12x12x66xx </td <td></td> <td>x</td> <td>x</td> <td>x</td> <td>x</td> <td>x</td> <td>x</td> <td></td> <td></td> <td>x</td> <td>x</td> <td>x</td> <td>x</td> <td>x</td> <td>1</td>		x	x	x	x	x	x			x	x	x	x	x	1
12x15x66xx </th <th></th> <th></th> <th></th> <th>1</th> <th>[</th> <th>1</th> <th>1</th> <th>1</th> <th></th> <th>1</th> <th></th> <th></th> <th></th> <th></th> <th></th>				1	[1	1	1		1					
12x18x66xx </td <td></td>															
12x12x78xx </td <td></td> <td></td> <td>x</td> <td>×</td> <td>x</td> <td>x</td> <td>×</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td> </td>			x	×	x	x	×								
12x15x78xx </td <td></td> <td></td> <td>x</td> <td></td> <td>x</td> <td>x</td> <td>×</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td> </td>			x		x	x	×								
12x18x78xx </td <td></td> <td></td> <td></td> <td></td> <td>x</td> <td></td> <td></td> <td>×</td> <td></td> <td></td> <td>x</td> <td>×</td> <td></td> <td></td> <td></td>					x			×			x	×			
ATter 12x12x66 x <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>															
12x12x66xxxll<l<		x	x	x	x	x	x	x	x	x	x	x			×
12x15x66xxxIII </td <td></td> <td>1</td> <td></td> <td>1</td> <td></td> <td>1</td> <td>1</td> <td>1</td> <td></td> <td>1</td> <td></td> <td></td> <td>1</td> <td>1</td> <td></td>		1		1		1	1	1		1			1	1	
12x18x66xxx1II </td <td>12x12x66</td> <td>x</td> <td>×</td> <td></td>	12x12x66	x	×												
12x12x78xx </td <td>12x15x66</td> <td>x</td> <td>x</td> <td></td>	12x15x66	x	x												
12x15x78xxxloop <thll>looplooplooploop</thll>	12x18x66	x	x												
12x18x78xxxiii </td <td>12x12x78</td> <td>x</td> <td>x</td> <td></td> <td> </td>	12x12x78	x	x												
5 Tier 12x12x66 x <	12x15x78	x	x												
12x12x66xx </td <td>12x18x78</td> <td>x</td> <td>×</td> <td></td>	12x18x78	x	×												
12x15x66 x <th< td=""><td>5 Tier</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>	5 Tier														
12x18x66 x <td< td=""><td>12x12x66</td><td>x</td><td>x</td><td>x</td><td>x</td><td>x</td><td>x</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	12x12x66	x	x	x	x	x	x								
15x15x66 x	12x15x66	x	x	x	x	x	x								
15x18x66 x	12x18x66	x	x	x	x	x	x								
6 Tier 12x12x78 x <	15x15x66	x	x	x	x	x	x								
12x12x78 x <th< td=""><td>15x18x66</td><td>x</td><td>x</td><td>x</td><td>x</td><td>x</td><td>x</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>	15x18x66	x	x	x	x	x	x								
12x15x78 x x x x x x x x x $12x18x78$ x x <td>6 Tier</td> <td></td>	6 Tier														
12x15x78 x <th< td=""><td>12x12x78</td><td>x</td><td>x</td><td>x</td><td>x</td><td>x</td><td>x</td><td></td><td></td><td>x</td><td>x</td><td></td><td></td><td></td><td>x</td></th<>	12x12x78	x	x	x	x	x	x			x	x				x
12x18x78 x<	12x15x78	x	x	x	x	x	x			x					×
15x18x78 x x x x x x x x 4 Wall Mount 45x18x13 x x x 1 1 1 1 1 1 1 16 Person	12x18x78	x	x	x	x	x	x			x					×
15x18x78 x x x x x x x x 4 Wall Mount 45x18x13 x x x x x x x x x 46 Person	15x15x78	x	x	x	x	x	x			x	x				x
4 Wall Mount 45x18x13 x <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>x</td></t<>															x
45x18x13 x x x x															
16 Person		1	x	x											
	69x18x78	x	x	x											

TERMS AND CONDITIONS

PRICES

Prices are based on construction of standard components as outlined in this publication. All prices are F.O.B. our fabrication plant in Eastanollee, Georgia. Prices are subject to change without notice and may be billed at prices in effect at the time of shipment.

DELIVERY

ASI Storage Solutions will endeavor to meet estimated delivery dates but will not be liable to the buyer for any damages resulting from any delay.

SPECIAL PARTS

Occasionally requirements for components with dimensions other than those listed here will arise. Please allow extra time for the preparation of quotes for parts with special dimensions. A set up charge for each special component required will be included in the pricing.

SHOP DRAWINGS

ASI Storage Solutions' Engineering Department will prepare drawings, if necessary, for architectural approval as part of order processing. Please allow one week for the preparation of shop drawings.

BACKCHARGES

No credits or allowances will be issued for any labor or expenses relating to the replacement of components covered under the warranty plan. It is the buyer's responsibility to review the submittal drawings and order acknowledgements we provide.

JOB CANCELLATIONS

- A \$75.00 NET FEE will be charged to any project that:
- 1. Is cancelled after shop drawings are prepared by ASI Storage Solutions and have been submitted.
- 2. Is not released for fabrication and shipment after a period of twelve months from the date of order entry. ASI Storage Solutions will automatically cancel such projects from its system unless prior agreement has been made

CHANGES

Requests for job changes after the release of an order into fabrication will be subject to:

- 1. Change fee of \$50.00 NET
- 2. Orders shipped from inventory stock program cannot be changed once released due to the quick processing and shipment.

LEED VERSION 3.0 CERTIFICATION PROGRAM INFORMATION

The LEED (Leadership in Energy and Environmental Design) Green Building Rating System[®] is a voluntary standard for developing environmentally responsible, low emission, high performance, sustainable buildings. It was developed by the U.S. Green Building Council, under contract with the US Department of Energy.

Individual materials and products used in buildings are not certified. The Version 3.0 certification process is for the entire construction project. The project earns "points" towards becoming certified.

ASI Storage Solutions products qualify for LEED 3.0 Certification points as follows:

LEED Category	Section & Points	Description	Powder Coated Steel	Solid Plastic (HDPE)	Phenolic (Black Core)	Phenolic (Color-Thru)	
Degualed Contant	MR 4.1 (1) MR 4.2 (1)	Post Consumer; Standard (Optional*)	Minimum 50% 0% (100%)		—	—	
Recycled Content	MR 4.2 (1)	Post Industrial; Standard (Optional*)	Minimum 50% 33% (0%)		27%	15%	
Rapidly Renewable Materials	MR 6.0 (1)	Content	—	_	67%	67%	
Low Emitting Materials	EQ 4.1 (1) EQ 4.2 (1)	VOC Content of Adhesives/Paint Below Defined Limits	Paint – Yes	N/A	N/A	N/A	
	50 4 4 (4)	Free of Added Urea-Formaldehyde Resins	Yes	Yes	Yes	Yes	
	EQ 4.4 (1)	GREENGUARD Certified	No No		Yes	No	
Regional Materials	MR 5.1	Final Assembly Point	—	Toccoa, GA 30577	Toccoa, GA 30577	Toccoa, GA 30577	



ASI STORAGE SOLUTIONS



*Contact us for assembly costs.

SPECIFICATIONS:

Complete specifications or additional information, can be found on our website: asistorage.com.

COLOR DISCLAIMER:

The color charts shown in this catalog are printed reproductions and are for descriptive purposes only. Color selection cards are available upon request. ASI Storage Solutions reserves the right to change specifications and products without notice.



ADA CODE REQUIREMENTS:

ASI Storage Solutions has been a pioneer in the design of facilities for the physically challenged. Our engineers stand ready to assist in layout design to meet code or special requirements.

WARRANTY AND MAINTENANCE GUIDES:

Individual warranty descriptions and maintenance guides are available at asistorage.com.

THE ASI GROUP

ASI Storage Solutions is a part of The ASI Group. The ASI Group is your single source solution for Washroom Accessories, Toilet Partitions, Lockers and other storage products worldwide.

Our mission is to make our customers successful by providing value that exceeds price and an excellent service experience. We do this by providing superior design, the broadest range of quality products in the industry, and state-of-the-art manufacturing to ensure that we have whatever our customers need, whenever they need it.

With experienced architectural representatives and customer service teams, we are here to help you deliver on

projects that range from world-class office buildings, educational facilities, sports venues, and government buildings to hospitals, chain stores, and hospitality / entertainment complexes.

Visit ASI Storage Solutions's affiliated companies, American Specialties, Inc., Global Partitions and Accurate Partitions Corp. for all your washroom and partition needs.



americanspecialties.com



TOILET PARTITIONS

accuratepartitions.com

globalpartitions.com



ASI Storage Solutions 2171 Liberty Hill Road, Eastanollee, GA 30538 Phone: 706.827.2720 Fax: 706.827.2710 E-Mail: info@asistorage.com Web: asistorage.com

Distributed by:

