



# “NO-TOUCH” WASHROOM ACCESSORIES

## ASI is the Solution to Making Your Bathrooms Better

- **Multiple Models and Finishes** – More choices
- **Sanitary** – All are no-touch operation
- **Easy Installation** – Installs quickly with standard tools
- **More ADA-Compliant Models** 
- **Cost-Efficient**
- **Durable**
- **Classic Styling** – Looks great in every washroom



# AUTOMATIC PAPER TOWEL DISPENSERS

- Proximity sensing no-touch operation
- Dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls.
- AC and battery operated (4) D-size



## 04692A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

18 gallons (68 L) stainless steel waste receptacle.

**04692A-6** (Not Shown)  
Similar to 04692A, except with stainless steel collar for semi-recessing in 4" (102 mm) walls.

**04692A-9** (Not Shown)  
Similar to 04692A, except with stainless steel collar for surface mounting.

**Wall Opening:**  
15¾" x 54½" x 10"  
(400 x 1384 x 254 mm)



## 94696A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

10 gal. (37.8 L) stainless steel waste receptacle.

**Wall Opening:**  
14⅝" x 39¾" x 10"  
(371 x 1010 x 254 mm)

## 046921A RECESSED AUTOMATIC ROLL TOWEL DISPENSER AND WASTE RECEPTACLE

14 gal. (53 L) waste receptacle.

**046921A-6** (Not Shown)  
Same as 046921A, except with stainless steel collar for semi-recessing in 4" (102 mm) walls.

**046921A-9** (Not Shown)  
Same as 046921A, except with stainless steel collar for surface mounting.

**Wall Opening:**  
15¾" x 54½" x 10¼"  
(400 x 1384 x 260 mm)





**046924A RECESSED  
AUTOMATIC ROLL TOWEL  
DISPENSER AND  
WASTE RECEPTACLE**

14 gal. (53 L)  
waste receptacle.

**046924A-9** *(Not Shown)*  
Same as 046924A, except  
with stainless steel collar  
for surface mounting.

**Wall Opening:**  
15 $\frac{3}{4}$ " x 54 $\frac{1}{2}$ " x 4"  
(400 x 1390 x 102 mm)



**64674 RECESSED COMBO  
THREE-IN-ONE**

Fully recessed ADA-compliant  
three-in-one paper towel dispenser  
with waste receptacle and high  
speed automatic hand dryer.  
Durable 14 gauge stainless steel  
cover has a satin finish and  
seamless design making it ideal for  
any washroom. 5-year warranty.

**Wall Opening:**  
12" W x 54 $\frac{1}{4}$ " H x 6 $\frac{1}{2}$ "  
(305 x 1378 x 165 mm)



**64696A RECESSED  
AUTOMATIC ROLL  
PAPER TOWEL  
DISPENSER AND  
WASTE RECEPTACLE**

8.6 gal. (32.6 L) stainless  
steel waste receptacle.

**64696A-6** *(Not Shown)*  
Similar to 64696A, except  
with stainless steel collar  
for semi-recessing in  
4" (102 mm) walls.

**64696A-9** *(Not Shown)*  
Similar to 64696A, except  
with a stainless steel collar  
for surface mounting.

**Wall Opening:**  
14 $\frac{5}{8}$ " x 39 $\frac{3}{4}$ " x 10"  
(370 x 1010 x 254 mm)



# AUTOMATIC PAPER TOWEL DISPENSERS



## 204692A AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Fabricated of 18 gauge type 304 stainless steel. 17.8 gal. (67.2 L) removable waste receptacle.

### Wall Opening:

15<sup>13</sup>/<sub>16</sub>" x 54<sup>11</sup>/<sub>16</sub>" x 10"  
(402 x 1389 x 254 mm)



## 204523A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel with satin finish.

### Wall Opening:

15<sup>3</sup>/<sub>4</sub>" x 26" x 10"  
(400 x 660 x 254 mm)



## 2046921A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE FOR ADAAG COMPLIANCE

Smaller waste receptacle, 13.5 gal. (51.1 L), allows installation according to ADAAG. Internal shelf is ideal for paper towel storage.

### Wall Opening:

15<sup>13</sup>/<sub>16</sub>" x 54<sup>11</sup>/<sub>16</sub>" x 10"  
(402 x 1389 x 254 mm)



**045210A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER**

**045210A-6** (Not Shown) Same as 045210A, except with stainless steel collar for semi-recessing in 4" (102 mm) walls.

**045210A-9** (Not Shown) Same as 045210A, except with stainless steel collar for surface mounting.

**Wall Opening:**

15¾" x 26½" x 10¼" (400 x 673 x 260 mm)



**8523A SURFACE MOUNTED AUTOMATIC ROLL PAPER TOWEL DISPENSER**

4 D battery operated only.

**Overall size:**

13" x 17¾" x 10"  
(330 x 451 x 254 mm)



**045224A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER**

**045224A-9** (Not Shown) Same as 045224A, except with stainless steel collar for surface mounting.

**Wall Opening:**

15¾" x 29" x 4"  
(400 x 740 x 102 mm)

**AVAILABLE MOUNTING STYLES**

All units are available in three mounting styles:

Recessed – standard

Semi-Recessed – add -6 to product number

Surface Mounted – add -9 to product number

**POWER SOURCE**

Units can be hard-wired or battery-operated.

Battery-Operated – Suffix "A" in the product number indicates that the unit is powered by four (4) D-size batteries (not supplied)

Hard-Wired – replace suffix "A" in the product number with the suffix "AC"

**AUTOMATIC MECHANISM**

Units automatically dispense one predetermined length at a time when hands are placed in sensor zone. The owner can predetermine the length of towel dispensed.

# AUTOMATIC SOAP & HAND SANITIZER DISPENSERS



## 20333 ROVAL™ AUTOMATIC DECK MOUNTED SOAP DISPENSER

Constructed of polished type 304 stainless steel on exposed surfaces with battery-operated, hands-free sensor. LEDs indicate function, battery condition and soap supply level on face front.

**Capacity:** 54 oz. (1600 ml) of liquid soap.

## 20364 AUTOMATIC SOAP OR HAND SANITIZER DISPENSER

Hands-free, battery-operated soap or hand sanitizer dispenser. Dispensing cycles adjustable with tamper proof magnetic key. Seamless drawn type 304 stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation.

**Capacity:** 33.8 oz. (1000 ml)

**Overall size:** 5½" x 10⅞" x 4"  
(140 x 276 x 102 mm) projection.



## 20365 AUTOMATIC FOAM SOAP DISPENSER

A foam drop is dispensed out of the nozzle on unit bottom each time its battery-operated sensor is activated. Wide range of viscosity.

**Capacity:** 34 oz. (1000 ml)

**Overall size:** 5½" x 10⅞" x 4"  
(140 x 276 x 102 mm) projection.

**0360 AUTOMATIC SOAP OR HAND SANITIZER DISPENSER**

Stainless steel, #4 satin finish, proximity sensor, battery operated. Tamper-resistant soap level viewing window, removable lid with special lock and key.

**Capacity:** 35 fluid ounces (1000 ml).

**Overall size:** 4<sup>17</sup>/<sub>32</sub>" x 9<sup>1</sup>/<sub>4</sub>" x 4<sup>7</sup>/<sub>8</sub>"  
(115 x 235 x 124 mm) projection.



**0361 AUTOMATIC SOAP OR HAND SANITIZER DISPENSER**

White, high impact plastic, proximity sensor, battery operated. Tamper-resistant soap level viewing window, swing open body with special lock and key.

**Capacity:** 28 fluid ounces (800 ml)

**Overall size:** 4<sup>5</sup>/<sub>8</sub>" x 10<sup>5</sup>/<sub>16</sub>" x 4<sup>7</sup>/<sub>16</sub>"  
(118 x 263 x 113 mm) projection.

**0362 AUTOMATIC SOAP OR HAND SANITIZER DISPENSER**

Hands-free, battery-operated, satin finish stainless steel soap or hand sanitizer dispenser.

**Capacity:** 27 oz. (800 ml) when using disposable soap cartridge (by others) or 30 oz. (900 ml) when using provided refillable soap cartridge.

**Overall size:** 4<sup>13</sup>/<sub>16</sub>" x 10<sup>5</sup>/<sub>8</sub>" x 4<sup>1</sup>/<sub>8</sub>"  
(122 x 270 x 105 mm) projection.

**0363** Same as 0362, except with bright polished finish.



# AUTOMATIC HAND DRYERS



**Decibel Level**  
Min: 59 dB-A @ 2M  
Max: 72 dB-A @ 2M

**Dry Time: Approx. 12 seconds**

## 0197-1-93 TURBO-Dri™ SURFACE-MOUNTED HIGH-SPEED AUTOMATIC HAND DRYER

Quick drying — approximately 12 seconds. Heavy-duty, one piece satin stainless steel cover. Adjustable air velocity and temperature. Energy efficient — Greenspec™ listed. 5-year warranty.

**0197-92** (Not shown) Polished stainless finish.

**0197-01** (Not shown) White enamel finish.

**Overall Dimensions:** 8<sup>1</sup>/<sub>16</sub>" x 11<sup>19</sup>/<sub>64</sub>" x 7<sup>5</sup>/<sub>64</sub>"  
(205 x 287 x 180 mm)



**Decibel Level**  
69 dB-A @ 2M

## 0198 TURBO-Dri™ JUNIOR SURFACE-MOUNTED HIGH-SPEED AUTOMATIC HAND DRYER

Compact high-speed hand dryer for applications where less space is available. 5-year warranty.

**Overall Dimensions:**  
9<sup>25</sup>/<sub>32</sub>" x 6<sup>5</sup>/<sub>8</sub>" x 5<sup>13</sup>/<sub>32</sub>"  
(248 x 168 x 138 mm)



## 0119 TURBO-Dri Semi-Recess Kit

Semi-recess kit reduces protrusion to less than 4", meeting both ADAAG and CalDAG Barrier-Free requirements.

### Wall Opening:

10<sup>3</sup>/<sub>4</sub>" w x 16<sup>3</sup>/<sub>8</sub>" h x 3<sup>3</sup>/<sub>4</sub>" d  
(273 x 416 x 95 mm) (min)



## 0134 TURBO-TUFF™ FULLY RECESSED HIGH-SPEED AUTOMATIC HAND DRYER

Satin Stainless Steel (see chart on back). Vandal-resistant hand dryer is made of durable 18 gauge stainless steel cover with a satin finish and seamless design. Universal voltage. 5-year warranty.

**Wall Opening:** 12<sup>5</sup>/<sub>16</sub>" x 15<sup>3</sup>/<sub>16</sub>" x 3<sup>7</sup>/<sub>8</sub>" (313 x 386 x 98 mm)

**Decibel Level**  
Max: 66.0 dB-A @ 2M

**Dry Time: Under 15 seconds**




**NEW**



**Decibel Level**  
Max: 66.0 dB-A @ 2M

**Dry Time: Under 15 seconds**



**0199 TURBO-ADA™ SURFACE-MOUNTED HIGH-SPEED AUTOMATIC HAND DRYER**

White is standard if no color is indicated. Optional finishes: Bright or Satin Stainless Steel. 5-year warranty.

**Overall Dimensions:** 10<sup>5</sup>/<sub>8</sub>" x 8<sup>15</sup>/<sub>32</sub>" x 4" (270 x 215 x 102 mm)

**NEW**



**Decibel Level**  
Min: 65 dB-A to 69.8  
Max: dB-A @ 2M

**Dry Time: Approx. 12 seconds**



**2020 TRI-Umph™ HIGH-SPEED HAND DRYER**

Satin look cover: ABS plastic with silver ions. Ergonomic — No need to bend over or bend knees. Air blows down and back from vents on three sides. No water splash-back. Ultra hygienic — Over 99% of airborne bacteria is eliminated with the removable Super Filter System. 5-year warranty.


**Overall Dimensions:** 12<sup>43</sup>/<sub>64</sub>" x 23<sup>1</sup>/<sub>8</sub>" x 7<sup>3</sup>/<sub>4</sub>" (322 x 588 x 197 mm)



**Optional Ceramic Backplate for the TRI-Umph™ Hand Dryer**

- Large absorbing/evaporating ceramic plate covers the wall directly behind the opening of the unit
- Plate matches the ceramic plate on hand dryer
- Installation can be retroactive

# AUTOMATIC HAND DRYERS



Surface Mounted  
4" (102 mm)  
Deep ADA Dryers



**Decibel Level**  
63 dB-A @ 2M

**Dry Time: Under 25 seconds**

**0185 STEEL COVER AUTOMATIC HAND DRYER WITH PORCELAIN ENAMEL FINISH**

Available in White, Grey, Black, Almond, Bright and Satin Stainless Steel. Universal voltage. 10-year warranty.

**0184 (Not shown) ROVAL™ SURFACE-MOUNTED AUTOMATIC HAND DRYER** Same as 0185, except 277 VAC. Ideal for school.

**0184/0185 Overall Dimensions:** 14 7/16" x 10 3/16" x 3 15/16" (367 x 275 x 100 mm)

**0195 (Not shown) ROVAL™ CAST IRON COVER AUTOMATIC HAND DRYER WITH PORCELAIN ENAMEL FINISH**

Available in White, Grey, Black and Almond. Universal voltage. 10-year warranty.

**Overall Dimensions:** 15 3/32" x 11 7/32" x 3 15/16" (383 x 285 x 100 mm)

**20199 ROVAL™ RECESSED HIGH-SPEED AUTOMATIC HAND DRYER**

This high performing hand dryer has a cover made of 18 gauge stainless steel and uniquely complements the Roval™ Collection with its bowed face and gently radiused edges. 5-year warranty.

**Wall Opening:** 10 1/2" x 14 5/8" x 3 1/4" (267 x 371 x 83 mm)  
(Conforms to ADA)

**Decibel Level**  
69 dB-A @ 2M

**Dry Time: Under 15 seconds**





**0133 FULLY RECESSED AUTOMATIC HAND DRYER**

Fully recessed ADA-compliant hand dryer. Durable 14 gauge stainless steel cover has a satin finish and seamless design making it ideal for any washroom. Universal voltage. 10-year warranty.

**Wall Opening:** 14" x 16" x 4"  
(356 x 406 x 102 mm)

**Decibel Level**  
63 dB-A @ 2M

**Dry Time:** Under 25 seconds



**Decibel Level**  
64 dB-A @ 2M

**Dry Time:** Under 30 seconds

**0165 PROFILE™ COMPACT AUTOMATIC HAND DRYER**

100-240 VAC - 50/60 Hz. Universal voltage. 10-year warranty.

COLOR OPTIONS:

Grey. White is standard if no color is indicated.

**Overall Dimensions:**

11 3/8" x 11 7/32" x 3 7/8" (289 x 285 x 100 mm)  
(Conforms to ADA)



**Decibel Level**  
60 dB-A @ 2M

**Dry Time:** 20 – 25 seconds

**0141 PORCELAIR AUTOMATIC HAND & FACE DRYER**

110-120 VAC - 50/60 Hz. Dries both hands and face. Universal voltage. 10-year warranty.

**0144 PORCELAIR AUTOMATIC HAND & FACE DRYER**

208-240 VAC - 50/60 Hz. Universal voltage. 10-year warranty.

COLOR OPTIONS:

Grey, Black and Almond. White is standard if no color is indicated.

**Overall Dimensions:** 9 7/16" x 9 41/64" x 6 3/8" (240 x 245 x 162 mm)

# "NO-TOUCH" WASHROOM ACCESSORIES

## THE ASI GROUP

The ASI Group is your single source solution for Washroom Accessories, Toilet Partitions, Lockers and other storage products worldwide.

Partitions — The most complete line available in the industry — stainless steel, solid plastic, powder coated steel, phenolic, color-thru phenolic and plastic laminate partitions. Since 1957, we have offered designers worldwide a myriad of choices to satisfy every need.

Lockers — The best engineered lockers and shelving in the industry, period. A wide range of colors and materials (including steel, solid plastic and phenolic) offer the perfect solution for any storage application.


Our mission is to make our customers successful by providing value that exceeds price and an excellent service experience. We do this by providing superior design, the broadest range of quality products in the industry, and state-of-the art manufacturing to ensure that we have whatever our customers need, whenever they need it.

With experienced architectural representatives and customer service teams, we are here to help you deliver on projects that range from world-class office buildings, educational facilities, sports venues, and government buildings to hospitals, chain stores, and hospitality / entertainment complexes.


American Specialties, Inc., Global Partitions, Accurate Partitions Corp. and ASI Storage Solutions are all part of the ASI Group of companies.



[americanspecialties.com](http://americanspecialties.com)  
for our complete line of  
washroom accessories



[globalpartitions.com](http://globalpartitions.com)



[accuratepartitions.com](http://accuratepartitions.com)



[asistorage.com](http://asistorage.com)

## ASI GUARANTEE

Products are guaranteed to be free from defects in workmanship and material for a period of one year from date of purchase. Any products returned under this guarantee will be repaired or replaced at no charge.

**AUTOMATIC HAND DRYERS WARRANTY:** All component parts of all dryers shall be warranted to be free of defects in material and workmanship for a period of up to 10 years, except brushes which are warranted for 3 years.

Illustrations and descriptions herein are applicable to production as of the date of this catalog. The manufacturer reserves the right to make changes and improvements in designs and dimensions at any time.



American Specialties, Inc.  
441 Saw Mill River Rd, Yonkers, NY 10701  
Tel: 914.476.9000 Fax: 914.476.0688  
E-mail: [info@americanspecialties.com](mailto:info@americanspecialties.com) Web: [americanspecialties.com](http://americanspecialties.com)

Distributed by: